



Catalog 2019



























#### ABOUT US



Welcome to our new catalogue Veyna 2019, where You can find many great designs of our door panels. Our offer combines years of experience and high quality of products which fit in perfectly with the interior forms of each type. I am depply convinced that everyone will find something for themselves.

#### dr MICHAŁ WEYNA - OWNER

Company "Veyna" has been producing decorative door panels since 1990. Throughout this time we have become a well-known and loyal partner for many building companies and producers of aluminum and PVC joinery. Modern technological line, based on numerically controlled machines and lasers, allows us to produce high-quality panels of differential design. The quality of products obtained by using German technology as well as materials is confirmed by our five-years warranty. The use of different decorative components such as glass, aluminium, stainless steel, PVC, ABS and HPL is reflected in the high quality of the panels.

Diversified offer consisting of classic and modern forms allows us to satisfy even the most demanding customers. Being able to maintain a leading position on the Polish market of producing door panels for significant amount of time speaks for itself.

Examples of models are presented in the enclosed materials.





#### VEYNA DOORS QUALITY



The company VEYNA, in collaboration with his partners, have succeeded all the test for security doors RC2 with security glass of class P4. All our panels are gived gratis to pass the tests in the research entities or other control bodies. Security doors RC2 or RC3 enrich our offer and give possibility to buy more solid doors in the producers. They still gard their news and interesting designs. The tests were done for doors in alu.





We offer 5 years warranty. The panels are produced with components from renowned european companies.



#### TABLE OF CONTENTS

Veyna door panels are presented in seven groups due to different technologies used in the process of production:

| Î   | Basic Line (PVC)   | 8–19  |
|-----|--|---|
| ) 4 | Economic Line (ALU/PVC)  | 20-31   |
|     | Classic Line (ALU)   | 32 - 38   |
|     | New Line (ALU)   | 39 - 49   |
| •   | Top Line (ALU)   | 50 - 54   |
| 4   | Extra Line (ALU)   | 55 - 59   |
|     | Fashion Line (ALU)   | 60 - 62   |
|     | Overlays<br>Special panels<br>Sandwich panels<br>XPS boards<br>Reinforcements<br>Knockers and entries of letters<br>Door handles<br>Acoustic<br>Types of Glazing | 64 - 65<br>66 - 67<br>69<br>70<br>71<br>72 - 73<br>74 - 77<br>86<br>87 - 89 |
|     |  |   |

#### DELIVERY

The company has his own transport across Poland. Professionally packaged goods are shipped to customers just in time. We are proud to say that our delivery service is second to none, fast and reliable ,which distinguishes us from the competition on the polish market.

Attention: Pictures shown in this catalogue are presented from the outside and are illustrative.



A group of door panels stamped in PVC (white) or in ABS (veneers). ABS is a very resistant material to impacts and highly reflecting UV rays. Both materials are of high quality and have a long aging period. Suitable for modern and classical constructions. What makes this product the most popular in its series are: competitive price, short realization.

#### PARAMETERS:

- standard dimensions: 850 x 2000 x 24/28/36/44 mm;
- doorpanels in RENOLIT veneer special double strengthening as standard;
- white door panels special strengthening optional;
- All models are available as standard in 18 differents venners and white colors, also in 13 different glasses: Thermofloat, VSG 3.3.1, Satinato, Chinchila clear, Chinchila bronze, Mastercarre, Masterpoint, Reflex bronze, Delta clear, Delta bronze, Delta Mat, Crepi and Flutes.



DOORS PRESENTED FROM THE OUTSIDE

BL-01(2)





BL-01

BL-02(2)



BL-02(8)





BL-02(2)S

BL-02





BL-03(1)



BL-03



DOORS PRESENTED FROM THE OUTSIDE

BL-04(1)



BL-07(1)



BL-07(3)



BL-04



BL-05(1)







DOORS PRESENTED FROM THE OUTSIDE





DOORS PRESENTED FROM THE OUTSIDE

BL-13



BL-14(1)



BL-14



BL-15(1)







BL-17



DOORS PRESENTED FROM THE OUTSIDE



DOORS PRESENTED FROM THE OUTSIDE

BL-25(3)









DOORS PRESENTED FROM THE OUTSIDE



BL-29(1)





#### RANGE OF COLORS

Due to the technical stamping, the colors may slightly vary from those RAL and Renolit veneer numbers.



Available glazings page 87-89





8

P



Economic door panels which combine aesthetics, high quality and current trends in modern door design. Competitive prices are also a great advantage. All the glass elements are maintained by stainless steel application. The extraordinary precision is possible to obtain thanks to applying laser treatment technology. To differentiate it from our other models we marked it with letter "A". It is our flagship model which is most popular in Germany and France. Its main advantage is quick realisation time.



#### PARAMETERS ALU:

- standard dimensions
- 900 x 2000 x 24/28/36/44 mm ALU,
- construction: 1,5/21/1,5
  - 1,5 mm aluminum sheet
- 21,00 mm rigid polyurethane foam
- 1,5 mm aluminum sheet.

#### PARAMETERS PVC:

- standard dimensions
- 900 x 2000 x 24/28/36/44 mm PVC,
- construction: 2,0/20/2,0
- 2,0 mm PVC plate
- 20,00 mm rigid polyurethane foam
- 2,0 mm PVC plate.

DOORS PRESENTED FROM THE OUTSIDE





EK-02(A)

EK-02(A)PIASEK 3





EK-02(A)PIASEK 1





EK-02(A)PIASEK 2



EK-04(A)



EK-04(A)PIASEK 4





DOORS PRESENTED FROM THE OUTSIDE



EK-06(A)



EK-07(A)

EK-04/6(A)



EK-08(A)



EK-05(A)



EK-09(A)





EK-10(A)







DOORS PRESENTED FROM THE OUTSIDE





EK-15(A)



EK-19(A)



EK-12(A)



EK-16(A)



EK-20(A)



EK-13(A)



EK-17(A)



EK-21(A)



EK-14(A)



EK-18(A)



EK-22(A)



DOORS PRESENTED FROM THE OUTSIDE

EK-23(A)



EK-27(A)



EK-24(A)

EK-28(A)



EK-29(A)





EK-30(A)



EK-25(A)



EK-26(A)





DOORS PRESENTED FROM THE OUTSIDE



EK-35(A)



EK-36(A)



EK-32(A)









DOORS PRESENTED FROM THE OUTSIDE

EK-37(A)



EK-41(A)



EK-45(A)



EK-38(A)



EK-42(A)



EK-46(A)



EK-39(A)



EK-43(A)



EK-40(A)



EK-44(A)



EK-47(A)



EK-48(A)



DOORS PRESENTED FROM THE OUTSIDE

EK-49(A)



EK-50(A)



EK-51(A)






#### RANGE OF COLORS

Above series are available in each and every colour: RAL, decor, veneer RENOLIT, COVA or HORNSCHUCH.




The entire range of RAL colours. Paint manufacturer may be choosen according to customers' needs.

#### EXAMPLE OF THE MOST POPULAR COLORS



28

#### EXAMPLE OF THE MOST POPULAR COLORS




nr 3202001 Dark oak, nr 2052 089 White creme, nr 1379 05-167 Gray anthracite, nr 7016 05

Cherry oak,

Available glazings page 87-89







#### STANDARD STAINLESS STEEL APPLICATION

### STAINLESS STEEL FLUSH APPLICATION





This is a group of extraordinary panels with or without glazing. It is characterized by an additional aluminium frame (extruded especially for company Veyna), which gives a pattern and hold the glass. This technology allows to replace the glass panel any time it should be required. These door panels go perfectly with classic and stylish architecture.




#### PARAMETERS:

- standard dimensions: 1000 x 2000 x 24/36/44 mm
- available thickness: 24, 36 oraz 44 mm
- construction: 2,0/20/2,0
- 2,0 mm milled aluminium plate
- 20,00 mm rigid polystyrene foam
- 2,0 mm milled aluminium plate



DOORS PRESENTED FROM THE OUTSIDE





CL/F 11



CL-/K4-S





CL/F4



CL 2



CL/F 12



CL/F4-S



CL 2-S



CL/F 12-S



CL/F5



DOORS PRESENTED FROM THE OUTSIDE

CL/F5-S



CL/K6-S



CL/DW 8-S



CL/F6



CL/K8



CL/DW 9-S



CL/F6-S



CL/K8-S



CL/DW 9



CL/DW 10-S





CL/K6

DOORS PRESENTED FROM THE OUTSIDE



CL/F 14-S



CL/F 15



CL/F 15-S





CL 18-S



CL/F 16





CL/F 16-S











CL/F 17-S



# CLASSIC LINE (ALU)

DOORS PRESENTED FROM THE OUTSIDE



CL 16A2

CL/H 18S



CL 16A3

CL/H 19S



CL 16A1









### RANGE OF COLORS

The entire range of RAL colors. Paint manufacturer may be choosen according to Customers needs.




Available glazings page 87-89

# CLASSIC LINE (ALU)








£

## NEW LINE (ALU) NEW LINE EK (ALU/PVC)



In order to meet the latest trends in architecture, we have designed door panels of modern shapes. New Line with glazed elements and grooves as well as NEW LINE EK without grooves with a possibility to make it in white PVC which can be covered with any colour from RAL palette. Possibility to choose from all range of colours creates huge potential for customers who would like to have individual approach in their households.



#### PARAMETERS:

- standard dimensions: 1000 x 2000 x 24/28/36/44 mm,
- construction: 2,0/20/2,0
- 2,0 mm milled aluminum sheet
- 20,00 mm rigid polystyrene foam
- 2,0 mm milled aluminum sheet.

DOORS PRESENTED FROM THE OUTSIDE



NL 2-S



NL 6-S



NL 7-S



NL 8-S



NL 5-S

NL 9-S





NL 10-S





NL 11-S



NL 12-S





DOORS PRESENTED FROM THE OUTSIDE

NL 13-S



NL 17-M



NL/F21



NL 14-M



NL/F 18



NL/F 22



NL 15-M



NL/F 19



NL/F 23



NL 16-M



NL/F 20



NL 24-S



DOORS PRESENTED FROM THE OUTSIDE











NL 28-S





DOORS PRESENTED FROM THE OUTSIDE

NL 29-S



NL 33-S



NL-EK 9



NL 30-S





NL-EK 10



NL 31-S



NL 32-S


NL-EK 7



NL-EK 11



NL-EK 8



NL-EK 12



DOORS PRESENTED FROM THE OUTSIDE











NL-EK 15



NL-EK 16



DOORS PRESENTED FROM THE OUTSIDE

NL-EK 17



NL-EK 21



NL-EK 25



NL-EK 18



NL-EK 22



NL-EK 26



NL-EK 19



NL-EK 23

NL-EK 20



NL-EK 24



NL-EK 27



NL-EK 28





DOORS PRESENTED FROM THE OUTSIDE

NL-EK 29



NL-EK 33



NL-EK 37



NL-EK 30




NL-EK 34



NL-EK 38



NL-EK 31



NL-EK 32

NL-EK 35



NL-EK 39

NL-EK 36



NL-EK 40



48

DOORS PRESENTED FROM THE OUTSIDE

```
NL-EK 41
```



NL-EK 42



NL-EK 43



NL-EK 44





### RANGE OF COLOURS

The entire range of RAL colours. Paint manufacturer may be chosen according to customer's needs. For some models there is possibility to use veneer RENOLIT, COVA or HORNSCHUCH.

Available glazings on page 87-89



Top-line door panels form the most exclusive line of the group. Top-line panels are produced in full version or with glass elements placed in panel with a help of aluminum frames. We use aluminum frames and cut patterns, which enables us to use thicker aluminum sheets. This provides more reinforcement and protection from burglary.





### PARAMETERS:

- standard dimensions: 1000 x 2000 x 24/36/44 mm,
- available thickness: 24, 36 oraz 44 mm,
- construction: 2,0/20/2,0
  - 2,0 mm milled aluminium plate
  - 20,00 mm rigid polystyrene foam
- 2,0 mm milled aluminium plate.

DOORS PRESENTED FROM THE OUTSIDE



TL/DW 1-S



TL/DW 4-S

TL/DW 4

TL/DW 7





TL/DW 7-S



TL/DW 3



TL/DW 5




TL/F 1



TL/DW 3-S



TL/DW 5-S



TL/F 1-S



DOORS PRESENTED FROM THE OUTSIDE

TL/F 3-S



TL/MC 1



TL/MC 4



TL/F 4-S



TL/MC 1-S



TL/MC 4-S



TL/K 7



TL/MC 2



TL/K 7-S



TL/MC 2-S



TL/MC 5



TL/MC 5-S




DOORS PRESENTED FROM THE OUTSIDE

TL/P 10









### RANGE OF COLOURS

The entire range of RAL colours. Paint manufacturer may be cohosen according to customers needs.

Available Glazings on page 87-89





## EXTRA LINE (ALU)



Extra-line panels are manufactured, only on a special request. Thanks to extremely durable structure, Extra-Line panels can be used for producing anti-burglary and bulletproof constructions. Produced only in the solid version, without glass elements. There is a possibility of using aluminium sheets of different thickness (2, 3, or 5 mm). This type of door is specially popular among customers who want to have a company logo or originally milled house number on the door. We are also able to mount any laser cut stainless steel application according with the wishes from customers to us.



### PARAMETERS:

- standard dimensions:
  - 1000 x 2000 x 24/28/36/44 mm ALU,
- construction: 3,0/21/1,5
  - 3,0 mm milled aluminum sheet
- 21,00 mm rigid polystyrene foam
- 1,5 mm milled aluminum sheet.



# EXTRA LINE (ALU)

DOORS PRESENTED FROM THE OUTSIDE





EX/6



EX/4

EX/8



EX/5

EX-SPECJAL 1





EX-SPECJAL 2







EX-SPECJAL 3



EX-SPECJAL 4







# EXTRA LINE (ALU)

DOORS PRESENTED FROM THE OUTSIDE

### EX-SPECJAL 5






#### RANGE OF COLORS

The entire range of RAL colours. Paint manufacturer may be cohosen according to customers needs.

Available Glazings on page 87-89





# FASHION LINE (ALU)



## FASHION LINE (ALU)

This is a group with a unique design and modern form. Ideal for customers with sophisticated taste who appreciate originality. We can find a variety of designs of geometric shapes and openwork accents. Very original visual effects may be achieved by combining it with different types of glazing.



### PARAMETERS:

- standard dimensions: 1000 x 2000 x 24/28/36/44 mm ALU,
- construction: 2,0/20/2,0
  - 2,0 mm milled aluminum sheet
  - 20,00 mm rigid polystyrene foam
  - 2,0 mm milled aluminum sheet.



## FASHION LINE (ALU)

DOORS PRESENTED FROM THE OUTSIDE














### RANGE OF COLOURS

The entire range of RAL colors. Paint manufacturer may be choosen according to customer needs.

Available glazings on page 87-89

## REST OF THE OFFER






SPECIAL PANELS

## OVERLAY PANELS

The company "Veyna" introduced not only infill panels but also overlay ones to meet the expectations of the demanding door filling market. The offer refers to following series: Economic-Line (Alu), New-Line (Alu), New-Line EK (ALU), Extra-Line (ALU), Fashion-Line (ALU). The models of Classic-Line and Top – Line are just proposed with one side overlay and with thickness 24, 36 and 44mm. Overlays without any patterns so called "sandwich" can also be produced. The doors with an overlay are aesthetic (frame of the sash door is invisible) and modern. With all confidence we can say that we have the best prices on the polish market. Thickness of overlay panels is adapted to the most popular profil system as:



# ALUPROF, ALIPLAST, PONZIO, ALURON, YAWAL, BLYWEERT-SO EASY, REYNAERS, SCHÜCO, HEROAL, CORTIZO.




### OVERLAY PANELS

SKETCHES OF OVERLAY PANELS ONE AND TWO SIDES AND INFILL PANEL







INFILL

**OVERLAY ONE SIDE** 

**OVERLAY TWO SIDE** 



We created legible and clear instructions, for those who are interested to do the montage themself. We can provide formation and training to filling assembly installation. There is of course a possibility for every customer to use our support and advice with first ordered overlay.

## SPECIAL PANELS

### BL-02(4)ST



BL-05(1)ST



BL-07(3)ST



BL-X1





## SPECIAL PANELS

### PARAMETERS:

- BL-02(4)ST, BL-05(1)ST, BL-07(3)ST: standard dimensions 430 x 2000 x 24/28/36/44 mm,
- BL-X1: standard dimensions 1020 x 880 x 24/28/36/44 mm,
- NL/EK-41ST, NL/EK-19ST, NL/EK-16ST, EK-16(A)ST, EK-03(A)ST: standard dimensions 500 x 2000 x 24/28/36/44 mm.

### THE OFFER IS INTENDED, FOR EXAMPLE, FOR SIDE FIXINGS AND PARTIAL DOOR FILLINGS.






# SANDWICH PANELS XPS BOARDS

## SANDWICH PANELS

### PARAMETERS OF SANDWICH PANELS:

- Core of the foamed polystyrene XPS,
- Any cladding: Aluminium with all the range of colors RAL, facing white PVC, HPL with any veneer RENOLIT, COVA or HORNSCHUCH,
- Standard dimensions 2000 x 900 x 24 mm,
- Possibility of other thicknesses or dimensions as desired,
- Possibility to use an acoustic reinforcement to 38 dB,
- Possibility to apply reinforcement of aluminum plate,
- Use in the door, partition walls, etc..



Using the best components and having all approvals and certifications we give a five-years warranty on the panels, what makes us outstanding in the market. Plates with standard properties are produced within one day. We are the only company in Poland producing plates in white "Salamander" type, which is dedicated to contractors working on this system.



## XPS BOARDS

#### PARAMETERS OF XPS BOARD WITH ADHESIVE FILM ON BOTH SIDES:

- Extruded polystyrene foam (XPS),
- XPS coated both sides with a special adhesive film,
- adhesive surfaces protected with silicone paper,
- standard dimensions: 3000 x 1000 mm with thckness 6, 8, 13, 17, 20, 21, 24, 32, 34, 36, 40, 66 and 70 mm,
- possibility of other thicknesses or dimensions as desired,
- possibility to use an acoustic reinforcement to 38 dB,
- possibility to apply reinforcement of aluminum plate,
- use in the door, partition walls, etc.




### ADVANTAGES OF XPS INSULATION BOARDS

- Excellent resistance to moisture,
- high resistance to rot and corrosion,
- perfectly controlled compression strength,
- ability to maintain permanent isolation,
- improved closed cell structure and lack of voids in extruded polystyrene (XPS) results in excellent resistance to moisture penetration.

## REINFORCEMENTS

It is possible for an additional charge to strengthen our panels. We use aluminium plate. They increase the stiffness of the filling (especially recommended for PVC), acoustic performance and security. In standard we propose a 2mm thick plate but there is possiblity to ask thicker plate.







## K N O C K E R S

Knockers are a classical and functionnable decoration adapted to every models and not only the traditional. Montage need a additional reinforcement.



LION

BRASS

LION PATINA





# ΚΝΟϹΚΕRS



### ENTRIES OF LETTERS










We offer entries of letters box in aluminium in three colors: silver, white and gold. We propose the assembly of these entries in every models of our offers. You can assemble it yourself by following the instructions given in the box. Letterpads are designed for doors with thickness ranging from 36 mm to 70 mm.

# HANDLES OFFER IN STAINLESS STEEL

## HANDLES IN STAINLESS STEEL



## HANDLES IN STAINLESS STEEL

VP-16

VP-17

VP-18D



Ø30 mm, one side, matt stainless steel, tubular handle





Ø30 mm, one side, matt stainless steel, tubular handle Ø30 mm, one side, matt stainless steel/wood, fixation 45°

VP-19D





Ø30 mm, one side, matt stainless steel/wood, straight fixation

# HANDLES IN STAINLESS STEEL

VP-20



VP-21

VP-22






Ø30 mm, one side, matt stainless steel, straight fixation 40 mm x 10 mm, one side, matt stainless steel, straight fixation 100 mm x 5 mm, one side, matt stainless steel





We offer too different sets of decorative ornaments. Their advantage is the possibility to use them in all our panels. It open a lot of combination. Ornaments give character, elegance and individualism to the entrance doors. They can be placed without application and in all our glasses except: Delta bronze, Delta matt, Cathedral, Flutes and Altdeutsch clear. We invite you to project your own arrangement with the use of our example and inspiration.


little sets



DB 269 136 x 190 mm



DB 229 80 x 80 mm DB 034 144 x 144 mm









middle sets


DB 069 262 x 190 mm

DB 145 144 x 265 mm DB 149 285 x 144 mm












DB 161 126 x 126mm





DB 242 120 x 120mm




DB 249 265 x 155 mm DB 347 212 x 217 mm

DB 110 72 x 100 mm











DB 111 42 x 100 mm



DB 114 80 x 100 mm





DB 115 73 x 100 mm

DB 112

70 x 100 mm



77 x 100 mm

DB 113

72 x 103 mm






DB 117 77 x 100 mm



DB 118 73 x 100 mm



DB 119 77 x 100 mm



big sets

DB 246 125 x 830 mm DB 243 334 x 806 mm










DB 298 283 x 519 mm



DB 299 283 x 519 mm DB 184 277 x 153 mm





DB 240 109 x 385 mm



DB 316 1112 x 610 mm DB 314 **74 x 640 mm** 









# ACOUSTIC

This offer is dedicated to customers who fill the door or partition with improved noise immunity reaching up to 38 dB. These solutions are used in sandwich panels and other series models without glazing. The minimum thickness needed to use this option is 40mm. "Veyna" company has already implemented many of this special orders in offices, theatres and hospitals.



### EYEPIECES

Eyepieces can be integrated into a panel with a thickness between 24 and 40 mm.



chrome silver eyepiece



# TYPES OF GLAZING

Company "Veyna" has in its offer a wide spectrum of ornaments which are most popular on the European market. Glass produced at Pilkington is a high quality product that guarantees best design. It is obviously possible to use any other kind of ornament and glass type however longer realisation time should be allowed for. It is possible to use extra decorative mullions between the glass, safety or heat protection glass.



silvit clear



madera clear



CATHEDRAL clear



kura bronze



master carre



master ligne



master ray



chinchilla



satinato

Rest of the choice on www.veyna.eu

#### GLASS SAND

Sandblasting glass is the process whereby a specialized abrasive surface treatment of glass is applied leading to the removal of the top layer which results in visible tarnishing. The use of this technology gives a very delicate and subtle results. Sandblasting glass allows you to create any patterns that decorate the surface in a unique way. In addition to the designs shown below individually designs can be made on request.



 SAND 01
 SAND 02
 SAND 03
 SAND 04
 SAND 05
 SAND 06
 SAND 07
 SAND 08
 SAND 10

#### EXAMPLE OF REALIZATION




#### STAINED GLASS WINDOWS - BEWEL SERIES, DECOR GLAS, FUSING, TIFFANY

Stained glass windows are impressive door decorations. Their brightness and colour create a unique atmosphere and "magic light". The doors decorated with stained glass undergo spectacular visual change, both in stylized and modern constructions.

Stained glass being a decorative element has also a huge range of utility functions to perform such as protecting from unwanted views, protecting against strong sunlight and providing privacy. Used in the door it may assume a function of a painted picture, a simple geometry or intricate arabesques, and may also contain heraldic elements or a company logo.

#### .... our offer contain seventeen different glazing. You can find them in www.veyna.eu



# CENTRUMLASEROWE.PL



CUTING IN STAINLESS STEEL, ALUMINIUM AND BLACK METAL SHEET

WORKING TABLE SIZES: 1500 x 3000 mm CUTING ENTRUSTED MATERIAL OR MATERIAL OF VEYNA COMPANY

# CENTRUMLASEROWE.PL





# WWW.KONFIGURATOR.VEYNA.PL

Inteligent configurator for: PROJECT | PRICE | ORDER



### WWW.VEYNA.PL

Welcome to our website, where it is waiting for you even more information. We particularly recommend Visualizer - a tool with which You easily adapt your door panel to Your house.



### Wider range of door panels and galleries of realization on the website www.veyna.eu



## LOCATION

"VEYNA" - Weyna i S-ka Spółka Jawna ul. Szubińska 14, 87-100 Toruń, tel. / fax. +48 56 621 99 27/28 e-mail: veyna@veyna.pl www.veyna.eu



Polish leader in door panels







"VEYNA" - Weyna i S-ka Spółka Jawna ul. Szubińska 14, 87-100 Toruń, tel. / fax +48 56 621 99 27/28 e-mail: veyna@veyna.pl www.veyna.eu